



PROFACTOR®
DER DEUTSCHE QUALITÄTSSTANDARD

EN

TECHNICAL DATA SHEET AND USER MANUAL



**PRODUCT
CODE**

PF MB 836


**SET OF ADJUSTABLE
BRACKETS FOR MANIFOLDS**

1. PURPOSE AND SCOPE

The brackets are designed for mounting a pair of stainless steel or brass manifolds to a wall, metal frame, or manifold cabinet.

The brackets consist of a steel mounting plate, to which a pair of steel clamps are attached using screws. Both the mounting plate and the clamps have a nickel electroplated coating. The clamps are fitted with elastomer inserts that provide thermal and vibration protection and also prevent mechanical damage to the surface of the manifolds.

2. DESIGN



- 1 – Upper bracket (A3 steel, nickel-plated) — 2 pcs.
- 2 – Lower bracket (A3 steel, nickel-plated) — 2 pcs.
- 3 – Thermal and vibration protection insert (nitrile rubber, NBR) — 4 pcs.
- 4 – Clamp (A3 steel) — 4 pcs.
- 5 – Bolt M8 — 8 pcs.
- 6 – Bolt and nut M5 — 4 pcs.

Product weight: 520 g

3. INSTALLATION INSTRUCTIONS

Brackets must be fastened to load-bearing structures using screws with anchors or bolts. The size of the screws must be determined based on the load-bearing capacity of the wall (partition) material.

The manifolds are fixed to the brackets using clamps, which are attached to the "necks" (threaded nipples) of the bodies.

4. WARRANTY OBLIGATIONS

The warranty period is 12 months from the date of sale to the end consumer. Throughout the entire warranty period, the manufacturer guarantees the proper functioning of the product and its compliance with safety requirements, provided that the consumer follows the rules for storage, transportation, installation, operation, and maintenance of the product. The warranty covers all defects arising through the manufacturer's fault.

The warranty does not cover defects resulting from:

- Violation of storage, transportation, installation, operation, or maintenance conditions;
- Exposure to substances aggressive to the materials of the product;
- Signs of mechanical damage;
- Damage caused by fire, natural disasters, or other force majeure circumstances;
- Damage caused by improper actions of the user;
- Evidence of unauthorized interference with the product design.

The product described in this technical manual is a technically complex device that must be installed by a qualified specialist with appropriate experience working with this type of equipment.

Installation and commissioning must be carried out by an authorized and certified company.

Profactor Armaturen GmbH reserves the right to make changes to the product design that do not affect its technical characteristics or functional features.



INTERNATIONAL WARRANTY CARD

NAME OF THE PRODUCT

PRODUCT CODE, SIZE

QUANTITY

SELLER NAME AND ADDRESS

DATE OF PURCHASE

SELLER STAMP

SELLER SIGNATURE

For the warranty term refer to the Warranty obligation clause in the technical manual

FOLD LINE

FOLD LINE

In case of any claims to the product quality the following documents should be submitted:

1. Application with customer and product details:

- Name of the customer, actual address and phone number
- Article of the product
- Reason for the claim and photo
- Plumbing system where installed (name, address, phone number)

2. Invoice copy and receipt

3. Warranty card

RETURN/EXCHANGE COMMENTS

DATE

SIGNATURE



Profactor Armaturen GmbH

Ruffinallee 9, c/o Kanzlei Antegra, 82166 Gräfelfing, Germany;
Tel.: +49 89 21546092; info@pf-armaturen.de; www.profactor.de